

TBF-021-B-MV

Sample ID: HR20211190344 Strain: Gas #21 Matrix: Concentrates & Extracts Type: Other Sample Size: ; Batch:

Produced: Collected: 11/15/2021

Received: 11/15/2021 Completed: 11/22/2021 Batch#: 157310

Harrens Lab Inc

3507 Breakwater Ave

Hayward, CA 94545

(510) 887-8885 http://www.harrenslab.com Lic# C8-0000021-LIC DEA#: RH0490805

Client

Lic.#

QA Testing

1 of 5

21-B-MV

1212 Broadway Suite 910 Oakland, CA 94612

Terpene Belt Processing

Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	11/17/2021	Complete
Terpenes	11/16/2021	Complete
Residual Solvents	11/17/2021	Pass
Microbials	11/16/2021	Pass
Mycotoxins	11/17/2021	Pass
Pesticides	11/17/2021	Pass
Heavy Metals	11/17/2021	Pass
Foreign Matter	11/15/2021	Pass

Cannabinoids


Complete

N Total	р тнс		ND Total CBD		0.00% Total Cannabinoids		
Analyte	LOD	LOQ	Result	Result	Result	Result	
ТНСа	% 0.00400	% 0.01400	% ND	mg/g ND	mg/unit ND	mg/serving	
Δ9-THC	0.00700	0.02100	ND	ND	ND		
CBDa	0.00300	0.01000	ND U	ND	ND		
CBD	0.00500	0.01500	ND	ND	ND		
CBN	0.00300	0.00800	ND	ND	ND		
CBG	0.00700	0.02200	ND	ND	ND		
Total THC			ND	ND	ND	ND	
Total CBD			ND	ND	ND	ND	
Total			0.00	0.00	0.00	0.00	

1 Unit = g. 1g. Determination of Cannabinoids by HPLC, HL223 Total THC = THCa * $0.877 + \Delta 9$ -THC Total CBD = CBDa * 0.877 + CBDND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01

ПĞ





ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 16 CCR sec. 5730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.

Harrens Lab Inc 3507 Breakwater Ave Hayward, CA 94545

(510) 887-8885 http://www.harrenslab.com Lic# C8-0000021-LIC DEA#: RH0490805 **QA** Testing

2 of 5

TBF-021-B-MV

Harrer

ISO 17025 Accredited Laboratory

Sample ID: HR20211190344	Produced:
Strain: Gas #21	Collected: 11/15/2021
Matrix: Concentrates & Extracts	Received: 11/15/2021
Type: Other	Completed: 11/22/2021
Sample Size: ; Batch:	Batch#: 157310

Client **Terpene Belt Processing** Lic. # 1212 Broadway Suite 910 Oakland, CA 94612

Terpenes

Analyte	LOD	LOQ	Results	Results	
	%	%	%	mg/g	
δ-Limonene	0.0080	0.0100	22.259	222.59	
β-Caryophyllene	0.0080	0.0100	21.278	212.78	
α-Humulene	0.0080	0.0100	8.041	80.41	
Linalool	0.0080	0.0100	5.010	50.10	
α-Pinene	0.0080	0.0100	3.171	31.71	
β-Pinene	0.0080	0.0100	2.999	29.99	
β-Ocimene	0.0080	0.0100	2.669	26.69	
β-Myrcene	0.0080	0.0100	1.857	18.57	
Terpinolene	0.0080	0.0100	0.861	8.61	
Eucalyptol	0.0080	0.0100	0.469	4.69	
Camphene	0.0080	0.0100	0.401	4.01	
Caryophyllene Oxide	0.0080	0.0100	0.318	3.18	
3-Carene	0.0080	0.0100	ND	ND	
α-Bisabolol	0.0080	0.0100	ND	ND	
α-Terpinene	0.0080	0.0100	ND	ND	
cis-Nerolidol	0.0080	0.0100	ND	ND	
y-Terpinene	0.0080	0.0100	ND	ND	
Geraniol	0.0080	0.0100	ND	ND	
Guaiol	0.0080	0.0100	ND	ND	
Isopulegol	0.0080	0.0100	ND	ND	
p-Cymene	0.0080	0.0100	ND	ND	
trans-Nerolidol	0.0080	0.0100	ND	ND	
Total			69.333	693.33	
SO 170	25 Acc	rec	lited	i La	boratory

Primary Aromas



Date Tested: 11/16/2021

ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01. SOP HL228. GC-FID







Ming Li - General Manager 11/22/2021

ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 16 CCR sec. 5730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.

Harrens Lab Inc 3507 Breakwater Ave Hayward, CA 94545

TBF-021-B-MV

Sample ID: HR20211190344
Strain: Gas #21
Matrix: Concentrates & Extracts
Type: Other
Sample Size: ; Batch:

larrens

ISO 17025 Accredited Laboratory

Produced: Collected: 11/15/2021 Received: 11/15/2021 Completed: 11/22/2021 Batch#: 157310

(510) 887-8885 http://www.harrenslab.com Lic# C8-0000021-LIC DEA#: RH0490805

> Client **Terpene Belt Processing** Lic.# 1212 Broadway Suite 910 Oakland, CA 94612

Pesticides

Analyte	LOD	LOQ	Limit	Results	Status	Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.03	0.1	0.1	ND	Pass	Fludioxonil	0.03	0.1	0.1	ND	Pass
Acephate	0.03	0.1	0.1	ND	Pass	Hexythiazox	0.03	0.1	0.1	ND	Pass
Acequinocyl	0.03	0.1	0.1	ND	Pass	Imazalil	0.03	0.1	0.03	ND	Pass
Acetamiprid	0.03	0.1	0.1	ND	Pass	Imidacloprid	0.03	0.1	5	ND	Pass
Aldicarb	0.03	0.1	0.03	ND	Pass	Kresoxim Methyl	0.03	0.1	0.1	ND	Pass
Azoxystrobin	0.03	0.1	0.1	ND	Pass	Malathion	0.03	0.1	0.5	ND	Pass
Bifenazate	0.03	0.1	0.1	ND	Pass	Metalaxyl	0.03	0.1	2	ND	Pass
Bifenthrin	0.03	0.1	3	ND	Pass	Methiocarb	0.03	0.1	0.03	ND	Pass
Boscalid	0.03	0.1	0.1	ND	Pass	Methomyl	0.03	0.1	1	ND	Pass
Captan	0.03	0.1	0.7	ND	Pass	Mevinphos	0.03	0.1	0.03	ND	Pass
Carbaryl	0.03	0.1	0.5	ND	Pass	Myclobutanil	0.03	0.1	0.1	ND	Pass
Carbofuran	0.03	0.1	0.03	ND	Pass	Naled	0.03	0.1	0.1	ND	Pass
Chlorantraniliprole	0.03	0.1	10	ND	Pass	Oxamyl	0.03	0.1	0.5	ND	Pass
Chlordane	0.03	0.1	0.03	ND	Pass	Paclobutrazol	0.03	0.1	0.03	ND	Pass
Chlorfenapyr	0.03	0.1	0.03	ND	Pass	Parathion Methyl	0.03	0.1	0.03	ND	Pass
Chlorpyrifos	0.03	0.1	0.03	ND	Pass	Pentachloronitrobenzene	0.03	0.1	0.1	ND	Pass
Clofentezine	0.03	0.1	0.1	ND	Pass	Permethrin	0.03	0.1	0.5	ND	Pass
Coumaphos	0.03	0.1	0.03	ND	Pass	Phosmet	0.03	0.1	0.1	ND	Pass
Cyfluthrin	0.03	0.1	2	ND	Pass	Piperonyl Butoxide	0.03	0.1	3	ND	Pass
Cypermethrin	0.03	0.1	1	ND	Pass	Prallethrin	0.03	0.1	0.1	ND	Pass
Daminozide	0.03	0.1	0.03	ND	Pass	Propiconazole	0.03	0.1	0.1	ND	Pass
Diazinon	0.03	0.1	0.1	ND	Pass	Propoxur	0.03	0.1	0.03	ND	Pass
Dichlorvos	0.03	0.1	0.03	ND	Pass	Pyrethrins	0.03	0.1	0.5	ND	Pass
Dimethoate	0.03	0.1	0.03	ND	Pass	Pyridaben	0.03	0.1	0.1	ND	Pass
Dimethomorph	0.03	0.1	2	ND	Pass	Spinetoram	0.03	0.1	0.1	ND	Pass
Ethoprophos	0.03	0.1	0.03	ND	Pass	Spinosad	0.03	0.1	0.1	ND	Pass
Etofenprox	0.03	0.1	0.03	ND	Pass	Spiromesifen	0.03	0.1	0.1	ND	Pass
Etoxazole	0.03	0.1	0.1	ND	Pass	Spirotetramat	0.03	0.1	0.1	ND	Pass
Fenhexamid	0.03	0.1	0.1	ND	Pass	Spiroxamine	0.03	0.1	0.03	ND	Pass
Fenoxycarb	0.03	0.1	0.03	ND	Pass	Tebuconazole	0.03	0.1	0.1	ND	Pass
Fenpyroximate	0.03	0.1	0.1	ND	Pass	Thiacloprid	0.03	0.1	0.03	ND	Pass
Fipronil	0.03	0.1	0.03	ND	Pass	Thiamethoxam	0.03	0.1	5	ND	Pass
Flonicamid	0.03	0.1	0.1	ND	Pass	Trifloxystrobin	0.03	0.1	0.1	ND	Pass

Date Tested: 11/17/2021 We analyze samples by AOAC Official Method 2007.01-Modified; ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01. Tested by LC/MS/MS and GC/MS/MS, HL201.2



Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Ming Li - General Manager 11/22/2021

ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 16 CCR sec. 5730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.

3 of 5

Pass

Harrens Lab Inc 3507 Breakwater Ave Hayward, CA 94545

TBF-021-B-MV

Harrens

ISO 17025 Accredited Laboratory

Sample ID: HR20211190344	Produced:	Client
Strain: Gas #21	Collected: 11/15/2021	Terpene Belt Processing
Matrix: Concentrates & Extracts	Received: 11/15/2021	Lic. #
Type: Other	Completed: 11/22/2021	1212 Broadway Suite 910
Sample Size: ; Batch:	Batch#: 157310	Oakland, CA 94612

Residual Solvents

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.15	0.45	1	ND	Pass
Acetone	1.62	4.92	5000	417.6	Pass
Acetonitrile	2.14	6.5	410	ND	Pass
Benzene	0.17	0.51	1	ND	Pass
Butane	10.12	30.68	5000	ND	Pass
Chloroform	0.2	0.6	1	ND	Pass
Ethanol	2.73	8.27	5000	ND	Pass
Ethyl-Acetate	1.27	3.86	5000	<loq< td=""><td>Pass</td></loq<>	Pass
Ethyl-Ether	2.88	8.72	5000	ND	Pass
Ethylene Oxide	0.13	0.39	1	ND	Pass
Heptane	1.73	5.25	5000	6.9	Pass
Isopropanol	2.03	6.14	5000	9.0	Pass
Methanol	2.26	6.86	3000	7.8	Pass
Methylene-Chloride	0.31	0.94	1	ND	Pass
n-Hexane	3.46	10.5	290	11.5	Pass
Pentane	7.88	23.88	5000	ND	Pass
Propane	7.47	22.62	5000	ND	Pass
Toluene	1.37	4.16	890	ND	Pass
Trichloroethene	0.14	0.44	1	ND	Pass
Xylenes	2.86	8.68	2170	ND	Pass

(510) 887-8885

http://www.harrenslab.com

Lic# C8-0000021-LIC

DEA#: RH0490805

ISO 17025 Accredited Laboratory

Date Tested: 11/17/2021 ND = Not Detected; SOP HL231. Headspace GC-FID



Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Ming Li - General Manager 11/22/2021

ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 16 CCR sec. 5730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.

4 of 5

Pass

5 of 5

TBF-021-B-MV

arrei

ISO 17025 Accredited Laboratory

Sample ID: HR20211190344	Produced:	Client
Strain: Gas #21	Collected: 11/15/2021	Terpene Belt Processing
Matrix: Concentrates & Extracts	Received: 11/15/2021	Lic.#
Type: Other	Completed: 11/22/2021	1212 Broadway Suite 910
Sample Size: ; Batch:	Batch#: 157310	Oakland, CA 94612

Microbials

Pass

Analyte	Results	Status
Aerobic Plate Count	NR	NT
Aspergillus flavus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass
Shiga Toxin-producing E. coli	Not Detected in 1g	Pass
Salmonella SPP	Not Detected in 1g	Pass
Yeast & Mold	NR	NT

Date Tested: 11/16/2021

Date lested: 11/16/2021 NR = Not Reported; Aerobic Bacteria refers to Aerobic Plate Count, we analyze by method FDA BAM Jan 2001, Chapter 3. E.coli refers to E.coli Plate Count, we analyze by method FDA BAM Jan 2001, Chapter 4. Coliforms refers to Coliform Plate Count, we analyze by method FDA BAM Jan 2001, Chapter 4. Salmonella analysis method by Compact Dry SL, Hardy Diagnostics. Visual Mold inspection by UV light. 1= Mold Present, 0=Mold Not Present. Yeast and Mold Plate count method by AOAC no. 100401 or FDA BAM Jan 2001, Chapter 18. HL105.10-01. Salmonella and STEC: SOP HL 316. Aspergillus sp.: SOP HL311.2 (modified) & SOP HL 317.

Mycotoxins					Pass
Analyte	LOD	LOQ	Limit	Results	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
Aflatoxin B1	0.97	2.95		ND	Tested
Aflatoxin B2	0.51	1.56		ND	Tested
Aflatoxin G1	0.65	1.98		ND	Tested
Aflatoxin G2	0.55	1.67		ND	Tested
Total Aflatoxins			20	ND	Pass
Ochratoxin A	0.55	1.66	20	ND	Pass
Date Tested: 11/17/2021					

SOP HL 240

Total Aflatoxins = Aflatoxin B1 + Aflatoxin B2 + Aflatoxin G1 + Aflatoxin G2. Each aflatoxin is tested individually. HL241. Tested by HPLC-FID, HL241

Heavy Metals					Pass
Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.07	0.20	0.2	ND	Pass
Cadmium	0.07	0.20	0.2	ND	Pass
Lead	0.17	0.50	0.5	ND	Pass
Mercury	0.03	0.10	0.1	ND	Pass

Date Tested: 11/17/2021 SOP HL 237. Tested by Atomic Fluorescence Spectrometry, HL237



ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 16 CCR sec. 5730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.