

TBF-070-S-2022

Sample ID: HR20230590088 Strain: 2022 Exotic #70 Matrix: Concentrates & Extracts Type: Other Sample Size: ; Batch:

Hayward, CA 94545 Produced:

Received: 05/04/2023

Batch#: 369947

Completed: 05/08/2023

3507 Breakwater Ave

Harrens Lab Inc

Collected:

(510) 887-8885 http://www.harrenslab.com Lic# C8-0000021-LIC DEA#: RH0490805

QA Testing

1 of 5

Client **Terpene Belt Processing** Lic.# 1212 Broadway Suite 910 Oakland, CA 94612



Cannabinoids

Complete

ND			ND		ND		
Total THC		Total CBD		Total Cannabinoids			
Analyte	LOD	LOQ	Mass	Mass	Mass	Mass	
	mg/g	mg/g	%	mg/g	mg/unit	mg/serving	
	20000	0.61000	ND	ND			
	15000	0.45000	ND	ND ND			
	14000 15000	0.42000	ND ND ND	ND ND			
	10000	0.31000	ND	ND			
	15000	0.45000	ND	ND			
	13000	0.40000	ND	ND			
CBN 0.1	16000	0.50000	ND	ND			
	29000	0.88000	ND	ND			
		0.39000	ND	ND			
		0.42000	ND	ND			
	17000	0.53000	ND	ND			
Total THC			ND	ND	ND	ND	
Total CBD Total			ND ND	ND ND	ND ND	ND ND	

Determination of Cannabinoids by HPLC, HL223

Total THC = $\Delta 9$ -THCa * 0.877 + CBD ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01. Cannabinoid Testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15724. Water activity testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15717.



Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Ming Li - General Manager 05/08/2023

ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 4 CCR sec. 15730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.

Harrens Lab Inc 3507 Breakwater Ave Hayward, CA 94545

TBF-070-S-2022

Harrens

ISO 17025 Accredited Laboratory

Sample ID: HR20230590088	Produced:	Client
Strain: 2022 Exotic #70	Collected:	Terpene Belt Processing
Matrix: Concentrates & Extracts	Received: 05/04/2023	Lic.#
Type: Other	Completed: 05/08/2023	1212 Broadway Suite 910
Sample Size: ; Batch:	Batch#: 369947	Oakland, CA 94612

Terpenes

Analyte	LOD	LOQ	Results	Results	
	mg/g	mg/g	mg/g	%	
Terpinolene	0.08000	0.1000	253.34	25.334	
β-Myrcene	0.08000	0.1000	159.42	15.942	
β-Ocimene	0.08000	0.1000	140.74	14.074	
δ-Limonene	0.08000	0.1000	103.31	10.331	
α-Pinene	0.08000	0.1000	43.62	4.362	
β-Caryophyllene	0.08000	0.1000	38.60	3.860	
β-Pinene	0.08000	0.1000	35.24	3.524	
Linalool	0.08000	0.1000	21.51	2.151	
α-Humulene	0.08000	0.1000	15.51	1.551	
α-Terpinene	0.08000	0.1000	10.64	1.064	
3-Carene	0.08000	0.1000	10.04	1.004	
y-Terpinene	0.08000	0.1000	6.99	0.699	
trans-Nerolidol	0.08000	0.1000	6.67	0.667	
Camphene	0.08000	0.1000	5.22	0.522	
α-Bisabolol	0.08000	0.1000	ND	ND	
Caryophyllene Oxide	0.08000	0.1000	ND	ND	
cis-Nerolidol	0.08000	0.1000	ND	ND	
Geraniol	0.08000	0.1000	ND	ND	
Guaiol	0.08000	0.1000	ND	ND	
Isopulegol	0.08000	0.1000	ND	ND	
p-Cymene	0.08000	0.1000	ND	ND	
Total			850.85	85.085	

(510) 887-8885

http://www.harrenslab.com

Lic# C8-0000021-LIC

DEA#: RH0490805

ISO 17025 Accredited Laboratory

Primary Aromas



Date Tested: 05/04/2023

ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01. SOP HL228. GC-FID





2 of 5

Ming Li - General Manager 05/08/2023

ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 4 CCR sec. 15730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.

Harrens Lab Inc 3507 Breakwater Ave Hayward, CA 94545

TBF-070-S-2022

larrer

ISO 17025 Accredited Laboratory

Sample ID: HR20230590088	
Strain: 2022 Exotic #70	
Matrix: Concentrates & Extracts	
Type: Other	
Sample Size: ; Batch:	

Produced: Collected: Received: 05/04/2023 Completed: 05/08/2023 Batch#: 369947

(510) 887-8885 http://www.harrenslab.com Lic# C8-0000021-LIC DEA#: RH0490805

Client

Terpene Belt Processing Lic.# 1212 Broadway Suite 910 Oakland, CA 94612

Pesticides

μe/ε μe/ε μe/ε μe/ε μe/ε μe/ε μe/ε μe/ε Abamectin 0.02 0.07 0.1 ND Pass Hexythiazox 0.03 0.09 0.1 ND Pass Accephate 0.02 0.07 0.1 ND Pass Imazalii 0.03 0.09 0.1 ND Pass Accetaniprid 0.03 0.08 0.03 ND Pass Imadalcoprid 0.03 0.01 ND Pass Aldicarb 0.03 0.08 0.03 ND Pass Matahion 0.02 0.05 0.1 ND Pass Bifenzate 0.02 0.06 0.1 ND Pass Methonyl 0.02 0.06 0.03 ND Pass Bifenzate 0.02 0.06 0.11 ND Pass Methonyl 0.02 0.06 0.03 ND Pass Captan 0.06 0.19 0.7 ND Pass	Analyte	LOD	LOQ	Limit	Results	Status	Analyte	LOD	LOQ	Limit	Results	Status
Acephate 0.02 0.07 0.1 ND Pass Hexythiazox 0.03 0.09 0.1 ND Pass Acetamiprid 0.03 0.08 0.1 ND Pass Imazali 0.03 0.09 0.1 ND Pass Acetamiprid 0.02 0.07 0.1 ND Pass Imidacloprid 0.03 0.1 5 ND Pass Aldicarb 0.03 0.08 0.03 ND Pass Mathion 0.02 0.05 0.1 ND Pass Bifenzate 0.02 0.06 0.1 ND Pass Metalaxyl 0.03 0.1 2 ND Pass Bifenzate 0.02 0.07 0.1 ND Pass Metalaxyl 0.02 0.06 0.1 ND Pass Bifenzate 0.02 0.07 1.1 ND Pass Metinghy 0.02 0.06 0.1 ND Pass Captan		µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Acequinocyl 0.03 0.08 0.1 ND Pass Imizalil 0.03 0.09 0.03 ND Pass Acetamiprid 0.02 0.07 0.1 ND Pass Imidacloprid 0.03 0.1 5 ND Pass Addicarb 0.03 0.02 0.06 0.1 ND Pass Kresoxim Methyl 0.02 0.05 0.1 ND Pass Azoxystrobin 0.02 0.06 0.1 ND Pass Metalaxyl 0.03 0.1 2 ND Pass Bifenthrin 0.04 0.11 3 ND Pass Methiocarb 0.02 0.06 0.03 ND Pass Carbar 0.06 0.19 0.7 ND Pass Methorarb 0.02 0.06 0.1 ND Pass Carbar 0.06 0.19 0.7 ND Pass Meylobutanil 0.02 0.06 0.1 ND Pass Carbaryl 0.03 0.09 0.03 ND Pass Paclobutracol	Abamectin	0.02	0.07	0.1	ND	Pass	Fludioxonil	0.02	0.07	0.1	ND	Pass
Acetamiprid 0.02 0.07 0.1 ND Pass Imidacloprid 0.03 0.1 5 ND Pass Aldicarb 0.03 0.08 0.03 ND Pass Kresoxim Methyl 0.02 0.05 0.1 ND Pass Bifenzate 0.02 0.07 0.1 ND Pass Malathion 0.02 0.05 ND Pass Bifenthrin 0.04 0.11 3 ND Pass Metalaxyl 0.03 0.1 2 ND Pass Bifenthrin 0.04 0.11 3 ND Pass Methocat 0.02 0.06 0.03 ND Pass Carbart 0.06 0.19 0.7 ND Pass Methomyl 0.02 0.06 0.1 ND Pass Carbaryl 0.03 0.08 0.3 ND Pass Malathion 0.02 0.07 0.3 ND Pass Chiorantraniliprole 0.02	Acephate	0.02	0.07	0.1	ND	Pass	Hexythiazox	0.03	0.09	0.1	ND	Pass
Aldicarb 0.03 0.08 0.03 ND Pass Kresoxim Methyl 0.02 0.05 0.1 ND Pass Azoxystrobin 0.02 0.06 0.1 ND Pass Malathion 0.02 0.05 0.1 ND Pass Bifenzate 0.02 0.07 0.1 ND Pass Methaxyl 0.03 0.1 2 ND Pass Bifentarin 0.04 0.11 3 ND Pass Methorarb 0.02 0.06 0.03 ND Pass Captan 0.06 0.19 0.7 ND Pass Methormyl 0.02 0.06 0.1 ND Pass Carbaryl 0.03 0.08 0.5 ND Pass Methormyl 0.02 0.06 0.1 ND Pass Chloratraniliprole 0.02 0.06 0.1 ND Pass Naclobutrazol 0.03 0.09 0.3 ND Pass Chlorptrifos 0.01 0.04 0.3 ND Pass Pertachloronitrobenzene	Acequinocyl	0.03	0.08	0.1	ND	Pass	Imazalil	0.03	0.09	0.03	ND	Pass
Azoxystrobin 0.02 0.06 0.1 ND Pass Malathion 0.02 0.05 0.5 ND Pass Bifentaria 0.02 0.07 0.1 ND Pass Methiocarb 0.02 0.06 0.03 ND Pass Bisentrin 0.04 0.11 3 ND Pass Methiocarb 0.02 0.07 1 ND Pass Boscalid 0.02 0.07 0.1 ND Pass Methiocarb 0.03 0.08 0.03 ND Pass Carboruran 0.03 0.08 0.5 ND Pass Myclobutanil 0.02 0.06 0.1 ND Pass Chlorantraniliprole 0.02 0.06 10 ND Pass Paclobutrazol 0.03 0.09 0.03 ND Pass Chlorfenapyr 0.02 0.07 0.03 ND Pass Parathion Methyl 0.02 0.07 0.03 ND Pass Cylauthrin 0.02 0.07 0.3 ND Pass Parathion Methyl<		0.02	0.07	0.1	ND	Pass	Imidacloprid	0.03	0.1	5	ND	Pass
Bifenazate 0.02 0.07 0.1 ND Pass Metalaxyl 0.03 0.1 2 ND Pass Bifenthrin 0.04 0.11 3 ND Pass Methocarb 0.02 0.06 0.03 ND Pass Boscalid 0.02 0.07 0.1 ND Pass Methonyl 0.02 0.06 0.03 ND Pass Captan 0.06 0.19 0.7 ND Pass Methonyl 0.02 0.06 0.1 ND Pass Carbofuran 0.03 0.08 0.5 ND Pass Maled 0.01 0.03 0.1 ND Pass Chlorantraniliprole 0.02 0.06 10 ND Pass Parathion Methyl 0.02 0.07 0.03 ND Pass Chlorprifos 0.01 0.04 0.03 ND Pass Pertachloronitrobenzene 0.02 0.07 0.5 ND Pass	Aldicarb	0.03	0.08	0.03	ND		Kresoxim Methyl	0.02	0.05		ND	Pass
Bifenthrin 0.04 0.11 3 ND Pass Methiocarb 0.02 0.06 0.03 ND Pass Boscalid 0.02 0.07 0.1 ND Pass Methiorable 0.02 0.07 1 ND Pass Captan 0.06 0.19 0.7 ND Pass Mevinphos 0.03 0.08 0.01 ND Pass Carbaryl 0.03 0.08 0.5 ND Pass Naled 0.01 0.03 0.1 ND Pass Chlordane 0.03 0.08 0.03 ND Pass Parathion Methyl 0.02 0.07 0.03 ND Pass Chlordane 0.03 0.09 0.1 ND Pass Peratchloronitrobenzene 0.02 0.07 0.03 ND Pass Chlordane 0.03 0.09 0.1 ND Pass Peratchloronitrobenzene 0.02 0.07 0.03 ND Pass	Azoxystrobin	0.02			ND	Pass	Malathion	0.02	0.05			Pass
Boscalid 0.02 0.07 0.1 ND Pass Methomyl 0.02 0.07 1 ND Pass Captan 0.06 0.19 0.7 ND Pass Mevinphos 0.03 0.08 0.03 ND Pass Carboruran 0.03 0.08 0.5 ND Pass Myclobutanil 0.02 0.06 0.1 ND Pass Chlorantraniliprole 0.02 0.06 10 ND Pass Paclobutrazol 0.03 0.09 0.03 ND Pass Chlorantraniliprole 0.02 0.06 10 ND Pass Paclobutrazol 0.03 0.09 0.03 ND Pass Chlorprifos 0.01 0.04 0.03 ND Pass Pertachloronitrobenzene 0.02 0.07 0.03 ND Pass Clofentezine 0.03 0.09 0.1 ND Pass Phosmet 0.03 0.08 0.1 ND Pass						Pass	,					
Captan 0.06 0.19 0.7 ND Pass Mevinphos 0.03 0.08 0.03 ND Pass Carbaryl 0.03 0.08 0.5 ND Pass Myclobutanil 0.02 0.06 0.1 ND Pass Carbofuran 0.03 0.09 0.03 ND Pass Naled 0.01 0.03 0.1 ND Pass Chlorathraniliprole 0.02 0.06 10 ND Pass Pactobutrazol 0.03 0.09 0.03 ND Pass Chlordane 0.02 0.07 0.03 ND Pass Parathion Methyl 0.02 0.07 0.03 ND Pass Chlorophyrifos 0.01 0.04 0.03 ND Pass Pertachloronitrobenzene 0.02 0.07 ND Pass Coldentezine 0.03 0.09 0.1 ND Pass Piperonyl Butoxide 0.03 0.08 0.1 ND Pass												
Carbaryl 0.03 0.08 0.5 ND Pass Myclobutanil 0.02 0.06 0.1 ND Pass Carbofuran 0.03 0.09 0.03 ND Pass Naled 0.01 0.03 0.1 ND Pass Chlorantraniliprole 0.02 0.06 10 ND Pass Oxamyl 0.03 0.09 0.03 ND Pass Chlorfane 0.03 0.08 0.03 ND Pass Parathion Methyl 0.02 0.07 0.03 ND Pass Chlorpyrifos 0.01 0.04 0.03 ND Pass Pertachloronitrobenzene 0.02 0.07 0.5 ND Pass Coloratphos 0.02 0.07 0.3 ND Pass Phosmet 0.03 0.09 0.1 ND Pass Cypermethrin 0.02 0.07 2 ND Pass Propiconazole 0.03 0.08 0.1 ND Pass	Boscalid	0.02			ND	Pass	Methomyl	0.02	0.07	_	ND	Pass
Carbofuran 0.03 0.09 0.03 ND Pass Naled 0.01 0.03 0.1 ND Pass Chlorantraniliprole 0.02 0.06 10 ND Pass Oxamyl 0.03 0.09 0.5 ND Pass Chlorantraniliprole 0.03 0.08 0.03 ND Pass Paclobutrazol 0.03 0.09 0.03 ND Pass Chlorapyr 0.02 0.07 0.03 ND Pass Parathion Methyl 0.02 0.07 0.03 ND Pass Chlorpyrifos 0.01 0.04 0.03 ND Pass Pertachloronitrobenzene 0.02 0.07 0.5 ND Pass Colfentezine 0.03 0.09 0.1 ND Pass Permethrin 0.02 0.07 0.5 ND Pass Cyfluthrin 0.02 0.07 0.3 ND Pass Projeconazole 0.03 0.08 0.1 ND <td< th=""><th></th><th></th><th></th><th></th><th></th><th></th><th>•</th><th></th><th></th><th></th><th></th><th></th></td<>							•					
Chlorantraniliprole 0.02 0.06 10 ND Pass Oxamyl 0.03 0.09 0.5 ND Pass Chlordane 0.03 0.08 0.03 ND Pass Paclobutrazol 0.03 0.09 0.03 ND Pass Chlordane 0.02 0.07 0.03 ND Pass Parathion Methyl 0.02 0.07 0.03 ND Pass Chlorpyrifos 0.01 0.04 0.03 ND Pass Permethrin 0.02 0.07 0.5 ND Pass Coumaphos 0.02 0.07 0.03 ND Pass Permethrin 0.02 0.07 0.5 ND Pass Cypermethrin 0.02 0.07 2 ND Pass Piperonyl Butoxide 0.03 0.08 0.1 ND Pass Cypermethrin 0.02 0.07 0.03 ND Pass Propiconazole 0.03 0.08 0.1 ND Pass	,						1					
Chlordane 0.03 0.08 0.03 ND Pass Paclobutrazol 0.03 0.09 0.03 ND Pass Chlorfenapyr 0.02 0.07 0.03 ND Pass Parathion Methyl 0.02 0.07 0.03 ND Pass Chlorpyrifos 0.01 0.04 0.03 ND Pass Pentachloronitrobenzene 0.02 0.07 0.03 ND Pass Clofentezine 0.03 0.09 0.1 ND Pass Permethrin 0.02 0.07 0.5 ND Pass Coumaphos 0.02 0.07 0.3 ND Pass Phosmet 0.03 0.09 0.1 ND Pass Cypermethrin 0.02 0.07 2 ND Pass Propiconazole 0.03 0.08 0.1 ND Pass Daminozide 0.02 0.07 0.3 ND Pass Propiconazole 0.03 0.08 0.03 ND Pass<							Naled					
Chlorfenapyr 0.02 0.07 0.03 ND Pass Parathion Methyl 0.02 0.07 0.03 ND Pass Chlorpyrifos 0.01 0.04 0.03 ND Pass Pentachloronitrobenzene 0.02 0.05 0.1 ND Pass Clofentezine 0.03 0.09 0.1 ND Pass Permethrin 0.02 0.07 0.5 ND Pass Coumaphos 0.02 0.07 0.3 ND Pass Phosmet 0.03 0.09 0.1 ND Pass Cydfuthrin 0.02 0.07 2 ND Pass Projeconzole 0.03 0.08 3 ND Pass Daminozide 0.02 0.07 0.03 ND Pass Projeconzole 0.03 0.08 0.03 ND Pass Diazinon 0.01 0.03 0.1 ND Pass Pyrethrins 0.01 0.04 0.5 ND Pass <th>Chlorantraniliprole</th> <th></th> <th></th> <th></th> <th></th> <th>Pass</th> <th> ,</th> <th></th> <th></th> <th></th> <th></th> <th></th>	Chlorantraniliprole					Pass	,					
Chlorpyrifos 0.01 0.04 0.03 ND Pass Pentachloronitrobenzene 0.02 0.05 0.1 ND Pass Clofentezine 0.03 0.09 0.1 ND Pass Permethrin 0.02 0.07 0.5 ND Pass Coumaphos 0.02 0.07 0.03 ND Pass Phosmet 0.03 0.09 0.1 ND Pass Cyfluthrin 0.02 0.07 2 ND Pass Piperonyl Butoxide 0.03 0.08 3 ND Pass Cypermethrin 0.02 0.06 1 ND Pass Propiconazole 0.03 0.08 0.1 ND Pass Daminozide 0.02 0.07 0.03 ND Pass Propoxur 0.03 0.08 0.03 ND Pass Diazinon 0.01 0.04 0.5 ND Pass Diazinon 0.03 0.08 0.03 ND Pass Pyrethrins												
Clofentezine 0.03 0.09 0.1 ND Pass Permethrin 0.02 0.07 0.5 ND Pass Coumaphos 0.02 0.07 0.03 ND Pass Phosmet 0.03 0.09 0.1 ND Pass Cyfluthrin 0.02 0.07 2 ND Pass Piperonyl Butoxide 0.03 0.08 3 ND Pass Cypermethrin 0.02 0.06 1 ND Pass Prallethrin 0.03 0.08 0.1 ND Pass Daminozide 0.02 0.07 0.03 ND Pass Propiconazole 0.03 0.08 0.1 ND Pass Diazinon 0.01 0.03 0.1 ND Pass Pyrethrins 0.01 0.04 0.5 ND Pass Dichlorvos 0.03 0.08 0.03 ND Pass Spinetoram 0.02 0.07 0.1 ND Pass Dimethoate </th <th>. /</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>,</th> <th></th> <th></th> <th></th> <th></th> <th></th>	. /						,					
Coumaphos 0.02 0.07 0.03 ND Pass Phosmet 0.03 0.09 0.1 ND Pass Cyfluthrin 0.02 0.07 2 ND Pass Piperonyl Butoxide 0.03 0.08 3 ND Pass Cypermethrin 0.02 0.06 1 ND Pass Propiconazole 0.03 0.08 0.1 ND Pass Daminozide 0.02 0.07 0.03 ND Pass Propiconazole 0.03 0.08 0.1 ND Pass Diazinon 0.01 0.03 0.1 ND Pass Propoxur 0.03 0.08 0.03 ND Pass Dichlorvos 0.03 0.08 0.03 ND Pass Pyrethrins 0.01 0.04 0.5 ND Pass Dimethoate 0.02 0.05 0.03 ND Pass Spinetoram 0.02 0.07 0.1 ND Pass Spinosad <th></th>												
Cyfluthrin 0.02 0.07 2 ND Pass Piperonyl Butoxide 0.03 0.08 3 ND Pass Cypermethrin 0.02 0.06 1 ND Pass Prallethrin 0.03 0.08 0.1 ND Pass Daminozide 0.02 0.07 0.03 ND Pass Propiconazole 0.03 0.09 0.1 ND Pass Diazinon 0.01 0.03 0.1 ND Pass Propiconazole 0.03 0.08 0.03 ND Pass Diazinon 0.01 0.03 0.1 ND Pass Propoxur 0.03 0.08 0.03 ND Pass Dichlorvos 0.03 0.08 0.03 ND Pass Pyridaben 0.03 0.09 0.1 ND Pass Dimethoate 0.02 0.05 0.03 ND Pass Spinosad 0.03 0.09 0.1 ND Pass												
Cypermethrin 0.02 0.06 1 ND Pass Prallethrin 0.03 0.08 0.1 ND Pass Daminozide 0.02 0.07 0.03 ND Pass Propiconazole 0.03 0.09 0.1 ND Pass Diazinon 0.01 0.03 0.1 ND Pass Propiconazole 0.03 0.08 0.03 ND Pass Diazinon 0.01 0.03 0.1 ND Pass Propoxur 0.03 0.08 0.03 ND Pass Dichlorvos 0.03 0.08 0.03 ND Pass Pyrethrins 0.01 0.04 0.5 ND Pass Dimethoate 0.02 0.05 0.03 ND Pass Spinetoram 0.02 0.07 0.1 ND Pass Dimethomorph 0.03 0.08 0.03 ND Pass Spinosad 0.03 0.08 0.1 ND Pass Etorazole <th></th>												
Daminozide0.020.070.03NDPassPropiconazole0.030.090.1NDPassDiazinon0.010.030.1NDPassPropiconazole0.030.080.03NDPassDichlorvos0.030.080.03NDPassPropoxur0.030.080.03NDPassDimethoate0.020.050.03NDPassPyrethrins0.010.040.5NDPassDimethomorph0.030.082NDPassSpinetoram0.020.070.1NDPassEthoprophos0.030.080.03NDPassSpinosad0.030.080.1NDPassEtofenprox0.020.070.1NDPassSpiromesifen0.030.090.1NDPassEtoxazole0.020.070.1NDPassSpirotetramat0.020.070.1NDPassFenhexamid0.020.070.1NDPassSpiroxamine0.030.080.03NDPassFenoxycarb0.020.070.03NDPassTebuconazole0.030.080.1NDPassFenorycimate0.030.080.1NDPassThiacloprid0.020.060.03NDPassFipronil0.030.080.3NDPassThiacloprid0.030.085 <th>,</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>· ·</th> <th></th> <th></th> <th></th> <th></th> <th></th>	,						· ·					
Diazinon 0.01 0.03 0.1 ND Pass Propoxur 0.03 0.08 0.03 ND Pass Dichlorvos 0.03 0.08 0.03 ND Pass Pyrethrins 0.01 0.04 0.5 ND Pass Dimethoate 0.02 0.05 0.03 ND Pass Pyrethrins 0.03 0.09 0.1 ND Pass Dimethoate 0.02 0.05 0.03 ND Pass Pyridaben 0.03 0.09 0.1 ND Pass Dimethomorph 0.03 0.08 2 ND Pass Spinetoram 0.02 0.07 0.1 ND Pass Ethoprophos 0.03 0.08 0.03 ND Pass Spironesifen 0.03 0.09 0.1 ND Pass Etorazole 0.02 0.07 0.1 ND Pass Spiroxamine 0.03 0.08 0.03 ND Pass	<i>,</i> ,											
Dichlorvos 0.03 0.08 0.03 ND Pass Pyrethrins 0.01 0.04 0.5 ND Pass Dimethoate 0.02 0.05 0.03 ND Pass Pyridaben 0.03 0.09 0.1 ND Pass Dimethomorph 0.03 0.08 2 ND Pass Spinetoram 0.02 0.07 0.1 ND Pass Ethoprophos 0.03 0.08 0.03 ND Pass Spinosad 0.03 0.08 0.1 ND Pass Etofenprox 0.02 0.07 0.1 ND Pass Spiromesifen 0.03 0.09 0.1 ND Pass Etoxazole 0.02 0.07 0.1 ND Pass Spirotetramat 0.02 0.07 0.1 ND Pass Fenhexamid 0.03 0.09 0.1 ND Pass Spiroxamine 0.03 0.08 0.03 ND Pass							-					
Dimethoate 0.02 0.05 0.03 ND Pass Pyridaben 0.03 0.09 0.1 ND Pass Dimethomorph 0.03 0.08 2 ND Pass Spinetoram 0.02 0.07 0.1 ND Pass Ethoprophos 0.03 0.08 0.03 ND Pass Spinosad 0.03 0.08 0.1 ND Pass Etofenprox 0.02 0.06 0.03 ND Pass Spiromesifen 0.03 0.09 0.1 ND Pass Etosazole 0.02 0.07 0.1 ND Pass Spirotetramat 0.02 0.07 0.1 ND Pass Fenhexamid 0.03 0.09 0.1 ND Pass Spiroxamine 0.03 0.08 0.03 ND Pass Fenoxycarb 0.02 0.07 0.03 ND Pass Tebuconazole 0.03 0.08 0.1 ND Pass												
Dimethomorph 0.03 0.08 2 ND Pass Spinetoram 0.02 0.07 0.1 ND Pass Ethoprophos 0.03 0.08 0.03 ND Pass Spinetoram 0.02 0.07 0.1 ND Pass Etofenprox 0.02 0.06 0.03 ND Pass Spiromesifen 0.03 0.09 0.1 ND Pass Etoscazole 0.02 0.07 0.1 ND Pass Spirotetramat 0.02 0.07 0.1 ND Pass Fenhexamid 0.03 0.09 0.1 ND Pass Spiroxamine 0.03 0.08 0.03 ND Pass Fenoxycarb 0.02 0.07 0.03 ND Pass Tebuconazole 0.03 0.08 0.1 ND Pass Fenoxycarb 0.03 0.08 0.1 ND Pass Thiacloprid 0.02 0.06 0.03 ND Pass <t< th=""><th></th><th></th><th></th><th></th><th></th><th></th><th>,</th><th></th><th></th><th></th><th></th><th></th></t<>							,					
Ethoprophos 0.03 0.08 0.03 ND Pass Spinosad 0.03 0.08 0.1 ND Pass Etofenprox 0.02 0.06 0.03 ND Pass Spiromesifen 0.03 0.09 0.1 ND Pass Etosazole 0.02 0.07 0.1 ND Pass Spirotetramat 0.02 0.07 0.1 ND Pass Fenhexamid 0.03 0.09 0.1 ND Pass Spirotetramat 0.02 0.07 0.1 ND Pass Fenexamid 0.03 0.09 0.1 ND Pass Spiroxamine 0.03 0.08 0.03 ND Pass Fenoxycarb 0.02 0.07 0.03 ND Pass Tebuconazole 0.03 0.08 0.1 ND Pass Fenorycaimate 0.03 0.08 0.1 ND Pass Thiacloprid 0.02 0.06 0.03 ND Pass												
Etofenprox 0.02 0.06 0.03 ND Pass Spiromesifen 0.03 0.09 0.1 ND Pass Etoxazole 0.02 0.07 0.1 ND Pass Spirotetramat 0.02 0.07 0.1 ND Pass Fenhexamid 0.03 0.09 0.1 ND Pass Spirotetramat 0.02 0.07 0.1 ND Pass Fenhexamid 0.03 0.09 0.1 ND Pass Spirotetramat 0.03 0.08 0.03 ND Pass Fenoxycarb 0.02 0.07 0.03 ND Pass Tebuconazole 0.03 0.08 0.1 ND Pass Fenoxycarb 0.03 0.08 0.1 ND Pass Thiacloprid 0.02 0.06 0.03 ND Pass Fenorycoximate 0.03 0.08 0.03 ND Pass Thiamethoxam 0.03 0.08 5 ND Pass												
Etoxazole0.020.070.1NDPassSpirotetramat0.020.070.1NDPassFenhexamid0.030.090.1NDPassSpiroxamine0.030.080.03NDPassFenoxycarb0.020.070.03NDPassTebuconazole0.030.080.1NDPassFenpyroximate0.030.080.1NDPassThiacloprid0.020.060.03NDPassFipronil0.030.080.03NDPassThiamethoxam0.030.085NDPass												
Fenhexamid 0.03 0.09 0.1 ND Pass Spiroxamine 0.03 0.08 0.03 ND Pass Fenoxycarb 0.02 0.07 0.03 ND Pass Tebuconazole 0.03 0.08 0.1 ND Pass Fenoxycarb 0.03 0.08 0.1 ND Pass Tebuconazole 0.03 0.08 0.1 ND Pass Fenoyroximate 0.03 0.08 0.1 ND Pass Thiacloprid 0.02 0.06 0.03 ND Pass Fipronil 0.03 0.08 0.03 ND Pass Thiamethoxam 0.03 0.08 5 ND Pass												
Fenoxycarb0.020.070.03NDPassTebuconazole0.030.080.1NDPassFenpyroximate0.030.080.1NDPassThiacloprid0.020.060.03NDPassFipronil0.030.080.03NDPassThiamethoxam0.030.085NDPass												
Fenpyroximate0.030.080.1NDPassThiacloprid0.020.060.03NDPassFipronil0.030.080.03NDPassThiamethoxam0.030.085NDPass												
Fipronil0.030.080.03NDPassThiamethoxam0.030.085NDPass	,											
	1,2											
Flonicamid0.020.070.1NDPassTrifloxystrobin0.030.10.1NDPass	r ·									-		
	Flonicamid	0.02	0.07	0.1	ND	Pass	Trifloxystrobin	0.03	0.1	0.1	ND	Pass

Date Tested: 05/05/2023

We analyze samples by AOAC Official Method 2007.01-Modified; ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01. Tested by LC/MS/MS and GC/MS/MS, HL201.2. Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15719.



Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com

QA Testing

3 of 5

Pass



Ming Li - General Manager 05/08/2023

ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 4 CCR sec. 15730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.

Harrens Lab Inc 3507 Breakwater Ave Hayward, CA 94545

TBF-070-S-2022

Harrens

ISO 17025 Accredited Laboratory

Sample ID: HR20230590088	Produced:	Client	
Strain: 2022 Exotic #70	Collected:	Terpene Belt Processing	
Matrix: Concentrates & Extracts	Received: 05/04/2023	Lic. #	
Type: Other	Completed: 05/08/2023	1212 Broadway Suite 910	
Sample Size: ; Batch:	Batch#: 369947	Oakland, CA 94612	

(510) 887-8885

DEA#: RH0490805

http://www.harrenslab.com Lic# C8-0000021-LIC

Residual Solvents

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.15	0.45	1	ND	Pass
Acetone	1.62	4.92	5000	255.3	Pass
Acetonitrile	2.14	6.5	410	ND	Pass
Benzene	0.17	0.51	1	ND	Pass
Butane	10.12	30.68	5000	ND	Pass
Chloroform	0.2	0.6	1	ND	Pass
Ethanol	2.73	8.27	5000	ND	Pass
Ethyl-Acetate	1.27	3.86	5000	ND	Pass
Ethyl-Ether	2.88	8.72	5000	ND	Pass
Ethylene Oxide	0.13	0.39	1	ND	Pass
Heptane	1.73	5.25	5000	<loq< td=""><td>Pass</td></loq<>	Pass
Isopropanol	2.03	6.14	5000	<loq< td=""><td>Pass</td></loq<>	Pass
Methanol	2.26	6.86	3000	<loq< td=""><td>Pass</td></loq<>	Pass
Methylene-Chloride	0.31	0.94	1	ND	Pass
n-Hexane	3.46	10.5	290	12.2	Pass
Pentane	7.88	23.88	5000	ND	Pass
Propane	7.47	22.62	5000	ND	Pass
Toluene	1.37	4.16	890	ND	Pass
Trichloroethene	0.14	0.44	1	ND	Pass
Xylenes	2.86	8.68	2170	ND	Pass

ISO 17025 Accredited Laboratory

Date Tested: 05/04/2023

ND = Not Detected; SOP HL231. Headspace GC-FID. Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15718.



Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 4 CCR sec. 15730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.

4 of 5

Pass

Ming Li - General Manager 05/08/2023

5 of 5

Pass

TBF-070-S-2022

larrei

ISO 17025 Accredited Laboratory

Sample ID: HR20230590088	Produced:	Client
Strain: 2022 Exotic #70	Collected:	Terpene Belt Processing
Matrix: Concentrates & Extracts	Received: 05/04/2023	Lic.#
Type: Other	Completed: 05/08/2023	1212 Broadway Suite 910
Sample Size: ; Batch:	Batch#: 369947	Oakland, CA 94612

Microbials

Statu

Analyte	Results	Status
Aerobic Plate Count	NR	NT
Aspergillus flavus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass
Shiga Toxin-producing E. coli	Not Detected in 1g	Pass
Salmonella SPP	Not Detected in 1g	Pass
Yeast & Mold	NR	NT

Date Tested: 05/05/2023

NR = Not Reported: Aerobic Bacteria refers to Aerobic Plate Count, we analyze by method FDA BAM Jan 2001, Chapter 3. E.coli refers to E.coli Plate Count, we analyze by method FDA BAM Jan 2001, Chapter 4. Salmonella analysis method by Compact Dry SL, Hardy Diagnostics. Visual Mold inspection by UV light. 1= Mold Present, 0=Mold Not Present. Yeast and Mold Plate count method by AOAC no. 100401 or FDA BAM Jan 2001, Chapter 18. HL105.10-01. Salmonella and STEC: SOP HL 316. Aspergillus sp.: SOP HL311.2 (modified) & SOP HL 317. Microbial Testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15720 and §15722.

Mycotoxins					Pass
Analyte	LOD	LOQ	Limit	Results	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
Aflatoxin B1	1.1	3.4		ND	Tested
Aflatoxin B2	1.3	4		ND	Tested
Aflatoxin G1	2.8	8.4		ND	Tested
Aflatoxin G2	1.4	4.2		ND	Tested
Total Aflatoxins	6.6	20	20	ND	Pass
Ochratoxin A	2.8	8.4	20	ND	Pass

Date Tested: 05/05/2023

SOP HL 240. Total Aflatoxins = Aflatoxin B1 + Aflatoxin B2 + Aflatoxin G1 + Aflatoxin G2. Each aflatoxin is tested individually. HL241. Tested by HPLC-FID, HL241. Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15721.

Heavy Metals					Pass
Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.059	0.179	0.2	ND	Pass
Cadmium	0.005	0.014	0.2	ND	Pass
Lead	0.055	0.168	0.5	ND	Pass
Mercury	0.005	0.017	0.1	ND	Pass

Date Tested: 05/08/2023

SOP HL 237. Tested by Atomic Fluorescence Spectrometry, HL237. Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15723.





ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 4 CCR sec. 15730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.